

636





KEEPS YOUR CITY CLEAN.

First impressions count. This does not only apply to people but also to towns, cities and municipalities. Neat and tidy public green areas, roads and paths do not only contribute to a good image for visitors and the local inhabitants, but are also a sign of a council which works perfectly. And they encourage people to keep the city clean and tidy. As far as cleaning is concerned, many details and secondary effects are important, especially as viewed by a critical public.



For many years now, Green Machines have aimed to contribute decisively towards cleaner and tidier towns and cities by providing efficient and sophisticated sweeping machines. We have managed to enhance the performance

of all Green Machines with conventional drive systems thanks to a host of clever details. For a city, its inhabitants, the environment and for all those who handle it on a daily basis. Welcome to Green Machines!

636


No chance for dust and dirt.

In busy city centres, in car-parks and other outdoor areas requiring professional sweeping, the 636 leaves only one thing: a positive impression. By reducing water consumption considerably and with its sophisticated design details, it cuts labour and maintenance costs.



FINE DUST HUNTER AND GATHERER.

A really special
sweeper.



TECHNICAL SPECIFICATIONS.



636

SWEEPING SYSTEM

Working width: minimum (brushes retracted)	1,300 mm
Maximum (brushes extended completely)	2,050 mm
Capacity of container for sweepings	1.5 m ³
Material of container for sweepings	stainless steel

DUST CONTROL SYSTEM

Dust filtering	Three-stage filtering
Stage 1:	Cyclone swirl plate with lateral openings
Stage 2:	Flat filter made of stainless steel
Stage 3:	Double cyclones
Dust control system	Standard
CloudMaker®	12 vanes made of steel alloy
Vacuum impeller	

DRIVE SYSTEM

Standard engine	Kubota 1505T
	Diesel 31.4 kW
Suspension: front and rear	Completely independent
Driving speed*	up to 40 km/h
Sweeping speed	0 – 13 km/h
Front wheel gauge	
Sweeping mode	1,130 mm
Transit mode	1,400 mm


MACHINE DATA

Length: Standard machine	3,450 mm
Width: Machine width	1,140 mm
Height: Warning lamp folded inwards	1,980 mm
GVW	2,550 kg
Wheelbase	1,400 mm
Turning circle	
Curb to curb	3,250 mm
Wall to wall	4,100 mm

* If admissible

Technical data subject to change without prior notice.

FOR A CITY WORTH LIVING.



📍 GREEN MACHINES INTERNATIONAL GMBH
Sommerfeld 1 | 5202 Neumarkt a. Wallersee
AUSTRIA

☎ +43 (0)6216 4524 43
✉ office@greenmachines.com
🌐 www.greenmachines.com

📍 GREEN MACHINES GERMANY GMBH
Luisenstraße 16 | 99817 Eisenach
GERMANY

☎ +49 (0)3691 72 41 566
✉ DEoffice@greenmachines.com
🌐 www.greenmachines.com

📍 GREEN MACHINES SWEEPERS UK, LTD.
Bankside | Falkirk FK2 7XE | Scotland
GREAT BRITAIN

☎ +44 (0)1324 61 1666
✉ Sales@greenmachines.com
🌐 www.greenmachines.com